Abstract of the Disclosure

A composite electrolyte membrane for decreasing the crossover of polar organic fuel and a fuel cell employing the membrane are provided. The composite electrolyte membrane includes a modified silica in which silicon atoms have substituents as represented by formula 1 and formula 2; and an cation exchange group-containing polymer:

Formula 1

$$----R_1---SO_3X$$

Formula 2

$$---R_2--S---S---R_3---$$

10

5

wherein, R_1 is an alkylene group with 2-7 carbon atoms, X is a hydrogen atom or an alkali metal, R_2 and R_3 are each independently an alkylene group with 2-7 carbon atoms.

15

20

25

30